

# TINTINA RESOURCES

## 2010/2011 SHEEP CREEK COPPER PROJECT DRILL RESULTS as of Sep. 20, 2011

### Upper Copper Zone - Strawberry Butte

Drill Hole #	From (m)	To (m)	Width (ft)	Width (m)	Cu %	Co %	Ag g/t
SC10-001	118.26	125	22.1	6.74	3.44	0.18	13
SC10-002	131.31	138.77	24.5	7.46	2.48	0.36	6
SC10-003	131.88	139.5	25	7.62	3.21	0.17	22
SC10-004	107.9	118.41	34.5	10.51	3.03	0.15	10
SC11-013	50.99	66.19	49.87	15.2	1.97	0.13	13.8
SC11-014	57.85	74.68	55.22	16.83	2.10	0.10	16.5
SC11-016	68.99	83.09	46.26	14.10	1.69	0.10	17.1
SC11-017	56.42	69.18	41.86	12.76	1.76	0.08	16.9
SC11-017	78.74	83.65	16.11	4.91	3.56	0.07	9.4
SC11-018	72.45	76.76	14.14	4.31	2.36	0.15	11.4
SC11-018	90.18	94.18	13.12	4.00	2.98	0.11	13.1
SC11-019	99.50	110.84	37.20	11.34	2.09	0.06	11.8
SC11-019	128.00	134.00	19.69	6.00	1.31	0.09	27.7
SC11-020	91.91	96.51	15.09	4.60	1.51	0.05	12.2
SC11-021	136.41	139.60	10.47	3.19	1.72	0.10	14.9
SC11-021	150.85	154.23	11.09	3.38	2.69	0.03	14.5
SC11-024	192.30	195.52	10.56	3.22	0.81	0.04	67.8
SC11-026	128.34	133.76	17.78	5.42	1.55	0.06	12.7
SC11-026	147.76	151.76	13.12	4.00	1.92	0.06	17.5
SC11-027	76.20	83.65	24.44	7.45	2.52	0.16	10.3
SC11-027	100.88	103.83	9.68	2.95	3.32	0.18	6.0
SC11-028	144.07	148.21	13.58	4.14	2.78	0.10	22.0
SC11-028	159.72	161.31	5.22	1.59	1.24	0.02	11.0
SC11-029	63.98	73.00	29.59	9.02	2.66	0.15	13.5
SC11-029	85.75	88.76	9.88	3.01	2.99	0.13	8.6
SC11-030	115.50	127.00	37.73	11.50	2.05	0.14	8.5
SC11-031	93.00	103.60	34.78	10.60	2.05	0.11	8.1
SC11-032	103.02	116.77	45.11	13.75	1.64	0.14	12.5
SC11-032 (contains)	106.78	114.09	23.98	7.31	2.07	0.17	10.2
SC11-034	179.87	183.24	11.06	3.37	2.25	0.04	19.8
SC11-035	100.88	103.58	8.86	2.70	2.50	0.07	14.2
SC11-035	110.10	114.93	15.85	4.83	1.59	0.10	15.3

SC11-035	118.87	120.58	5.61	1.71	1.15	0.08	13.0
SC11-036	113.46	126.53	42.88	13.07	1.52	0.11	9.5
SC11-036	119.94	122.07	6.99	2.13	4.21	0.14	6.2
SC11-037	186.42	188.03	5.28	1.61	0.83	0.02	18.0
SC11-038	191.43	193.18	5.74	1.75	1.78	0.05	17.3
SC11-039	124.36	133.70	30.64	9.34	2.49	0.31	19.9
SC11-040	128.63	133.21	15.03	4.58	1.56	0.12	25.3
SC11-041	76.24	86.37	33.23	10.13	2.08	0.11	9.2
SC11-041	92.91	99.71	22.31	6.80	2.45	0.06	11.3
SC11-042	152.90	154.62	5.64	1.72	1.2	0.05	14.0
SC11-042	174.36	174.87	1.67	0.51	1.83	0.14	101.0
SC11-043	73.75	85.74	39.04	11.9	1.51	0.11	24.0
SC11-044	113.70	120.00	20.67	6.30	2.06	0.13	20.6
SC11-052	96.3	115.95	64.47	19.65	1.77	0.06	19.1
SC11-052	108.16	115.95	25.56	7.79	2.95	0.08	11.7
SC11-053	96.58	111.53	49.05	14.95	1.68	9.04	23.7
SC11-053	96.58	101.85	17.29	5.27	2.26	0.04	36.8
SC11-053	108.80	111.53	8.96	2.73	3.07	0.05	21.0
SC11-054	95.06	98.06	9.84	3.00	2.21	0.08	47.8
SC11-055	103.7	123.92	66.34	20.22	2.13	0.07	15.1
SC11-056	106.22	112.22	19.69	6.00	1.02	0.04	32.5
SC11-060	121.40	149.18	91.14	27.78	2.64	0.06	19.9
SC11-061	157.75	165.92	26.80	8.17	2.09	0.14	18.2
SC11-062	161.49	168.63	23.43	7.14	2.92	0.14	43.9
SC11-063	125.26	131.10	26.57	8.10	0.91	0.04	16.8
SC11-064	107.58	116.00	27.62	8.42	4.80	0.12	53.6
SC11-066	156.09	161.1	16.44	5.01	3.26	0.17	17.2
SC11-072	110.97	132	69.00	21.03	2.7	0.15	15.7

### Lower Copper Zone- Strawberry Butte

**TINTINA**RESOURCES

Drill Hole #	From (m)	To (m)	Width (ft)	Width (m)	Cu %	Co %	Ag g/t
SC10-003	350.02	351.69	5.6	1.67	3.24	0.05	4
SC10-004	414	418.05	13.3	4.05	10.84	0.03	8
SC10-005	405.8	412.15	20.8	6.35	8.72	0.11	5
SC10-006	537.92	544.7	22.24	6.78	2.00	0.04	15
SC11-008	353.38	356.21	9.29	2.83	2.18	0.01	2.4
SC11-009	415.42	416.67	4.10	1.25	1.35	0.001	1
SC11-010	456.80	458.75	6.40	1.95	0.79	0.035	21.1
SC11-011	409.65	422.70	42.82	13.05	3.18	0.018	2.5
SC11-012	363.61	369.61	19.69	6.00	1.58	0.02	3.3
SC11-012	383.67	386.50	9.29	2.83	2.51	0.12	6.5
SC11-015	449.29	456.59	23.95	7.30	3.14	0.04	6.1
SC11-023	421.35	423.00	5.41	1.65	0.13	0.51	9.0
SC11-029	437.00	441.50	14.76	4.50	11.39	0.19	8.0
SC11-031	458.17	460.36	7.19	2.19	1.14	0.01	1.9

SC11-032	374.51	375.72	3.97	1.21	0.47	0.01	4.0
SC11-048	360.99	367.60	21.69	6.61	7.95	0.10	7.2

**Middle Copper Zone- Strawberry East**

**TINTINA**RESOURCES

Drill Hole #	From (m)	To (m)	Width (ft)	Width (m)	Cu %	Co %	Ag g/t
SC10-006	384.02	430.64	152.95	46.62	2.56	0.11	13.5



